

**LEGEND:**

- AS-BUILT STORMWATER PIPE
- EXISTING STORMWATER PIPE
- REMOVED STORMWATER
- STORMWATER ABANDONED IN-SITU AND GROUT FILLED
- AS-BUILT STORMWATER MANHOLE
- EXISTING STORMWATER SOAKHOLE
- EXISTING STORMWATER CATCHPIT
- REMOVED STORMWATER CATCHPIT

THIS PLAN HAS BEEN PREPARED IN ACCORDANCE WITH AUCKLAND COUNCIL ENGINEERING APPROVAL ENG60355983

EACC AS BUILT PLAN CERTIFICATION

I CERTIFY THAT THESE AS-BUILT PLANS ARE AN ACCURATE RECORD OF THE WORKS UNDERTAKEN AND THAT:

- THE COORDINATES (X, Y) ARE IN TERMS OF NZTM ON NZGD(2000), AND ARE WITHIN +/- 50mm.
- THE LEVELS (Z) ARE IN TERMS OF THE AUCKLAND 1946 (MSL) LINZ DATUM (DOSLI DATUM), AND ARE WITHIN THE FOLLOWING TOLERANCES:
  - FOR ALL PIPE INVERTS & ROADSIDE CHANNELS TO BE WITHIN +/- 10mm (LOCAL CIRCUIT IE. INTERNAL/RELATIVE CONSISTENCY REQUIRED ONLY).
  - FOR ALL OTHER ASSETS +/-20mm (MANHOLE COVERS, EARTHWORKS).

SIGNED  
LICENSED CADASTRAL SURVEYOR  
NAME: RYAN BRUCE HEALEY    DATE: 03.11.2023

Kāinga Ora  
Homes and Communities


LEAD ALLIANCE  
Laying the Groundwork

2	FOR AS-BUILT	RBH	03.11.2023
1	FOR AS-BUILT	RBH	20.09.2023
REVISION DETAILS		BY	DATE

PROJECT: ŌRANGA BERM WORKS

DESCRIPTION: STORMWATER FILTER (ST-5) AS-BUILT PLAN

	SURVEYED	LEAD	08.2023
	DESIGNED	-	-
	DRAWN	CA	08.2023
	CHECKED	EG	03.11.2023
	APPROVED	RBH	03.11.2023
SCALE	1:20 @A1	1:40 @A3	REVISION
STATUS	AS BUILT ISSUE		2
PRECINCT	ŌRANGA		
DWG NO	DIO041-AB56		



- LEGEND:**
- AS-BUILT STORMWATER PIPE
  - EXISTING STORMWATER PIPE
  - REMOVED STORMWATER
  - STORMWATER ABANDONED IN-SITU AND GROUT FILLED
  - AS-BUILT STORMWATER MANHOLE
  - EXISTING STORMWATER SOAKHOLE
  - EXISTING STORMWATER CATCHPIT
  - REMOVED STORMWATER CATCHPIT

**THIS PLAN HAS BEEN PREPARED IN ACCORDANCE WITH AUCKLAND COUNCIL ENGINEERING APPROVAL ENG60355983**

**EACC AS BUILT PLAN CERTIFICATION**

I CERTIFY THAT THESE AS-BUILT PLANS ARE AN ACCURATE RECORD OF THE WORKS UNDERTAKEN AND THAT:

- THE COORDINATES (X, Y) ARE IN TERMS OF NZTM ON NZGD(2000), AND ARE WITHIN +/- 50mm.
- THE LEVELS (Z) ARE IN TERMS OF THE AUCKLAND 1946 (MSL) LINZ DATUM (DOSLI DATUM), AND ARE WITHIN THE FOLLOWING TOLERANCES:
  - FOR ALL PIPE INVERTS & ROADSIDE CHANNELS TO BE WITHIN +/- 10mm (LOCAL CIRCUIT IE. INTERNAL/RELATIVE CONSISTENCY REQUIRED ONLY).
  - FOR ALL OTHER ASSETS +/-20mm (MANHOLE COVERS, EARTHWORKS).

SIGNED: *[Signature]*  
LICENSED CADASTRAL SURVEYOR  
NAME: RYAN BRUCE HEALEY DATE: 03.11.2023


 			
2	FOR AS-BUILT	RBH	03.11.2023
1	FOR AS-BUILT	RBH	20.09.2023
REVISION DETAILS		BY	DATE

PROJECT:

ŌRANGA  
BERM WORKS

DESCRIPTION:

STORMWATER FILTER (ST-5)  
AS-BUILT DETAILS

	SURVEYED	LEAD	08.2023
	DESIGNED	-	-
	DRAWN	CA	08.2023
	CHECKED	EG	03.11.2023
	APPROVED	RBH	03.11.2023
SCALE	AS SHOWN		REVISION
STATUS	AS BUILT ISSUE		2
PRECINCT	ŌRANGA		
DWG NO	DIO041-AB57		